

**Gallery:**



**Features:**

- **Pill Counting**

- [Legal for Trade with NTEP - Approved Certified Feature](#)
- [Three - Step Pill Counting](#)
- [NDC Verification](#)
- [Three - Step Verification](#)
- [Counting Transaction Receipt Printing](#)
- [Compounding and Recipe Making Mode / Recipe Receipt Printing](#)
- [Accurate and Easy-to-use Leveling System](#)
- [Draft Ring](#)
- [Calibration and Sealing](#)
- [Handheld Barcode Scanner with Automatic Activation](#)
- [Large LCD Display](#)
- [Used Capacity Indicator](#)
- [Two RS-232 Interface Ports](#)
- [Sealed Front Panel](#)

- **Other Features**

- Stabilization and Net Weight Indicators
- Center of Zero Indicator
- Initial Zero-Setting Mechanism
- Automatic Zero-Setting Mechanism

**Specifications:**

**SCALE SPECIFICATIONS**

Model	DRX-4C
Capacity (Max)	300g
Minimum Load (Min)	0.02g
Reading Unit (d)	0.001g
Verification Unit (e)	0.01g
Tare Range	300g
Accuracy Class	II
Temperature Range	+15C to +30C
Weighing Time	<3s
Pan Dimensions	116mm
Scale Dimensions	235 x 245 x 80mm
Power Supply	Input: 120VDC 60Hz 9.5W
Output:	12VDC 500mA
Scale's Net Weight (lb/kg)	3.2 / 3.7
Calibrating Weight	300g

**COUNTING FEATURE SPECIFICATIONS**

MW (Minimum Weight) 30mg (3e)

MSS (Minimum Sample Size) 20 pieces

Sample Size Selection 10, 30, 60

Database Capacity 3,000 NDC codes and pill weights