


Gallery:



Features:

- **Pill Counting**

- [Legal for Trade with NTEP - Certified Counting Feature](#)
 - [Counting Transaction Receipt Printing](#)
 - [Compounding and Recipe Making Mode / Recipe Receipt Printing](#)
 - [Accurate and Easy-to-Use Leveling System](#)
 - [Draft Ring](#)
 - [Calibration and Sealing](#)
 - [Large LCD Display](#)
 - [Used Capacity Indicator](#)
 - [RS-232 Interface Ports](#)
 - [Sealed Front Panel](#)
-
- **Other Features**
 - Stabilization and Net Weight Indicators
 - Center of Zero Indicator
 - Initial Zero-Setting Mechanism
 - Automatic Zero-Setting Mechanism

Specifications:**SCALE SPECIFICATIONS**

Model	DRX-4C2
Capacity (Max)	300g
Minimum Load (Min)	0.02g
Reading Unit (d)	0.001g
Verification Unit (e)	0.01g
Tare Range	300g
Accuracy Class	II
Temperature Range	+15C to +30C
Weighing Time	<3s
Pan Dimensions	116mm
Scale Dimensions	235 x 245 x 80mm
Power Supply	Input: 120VDC 60Hz 9.5W
Output: 12VDC 500mA	
Scale's Net Weight (lb/kg)	8.2 / 3.7
Calibrating Weight	300g

COUNTING FEATURE SPECIFICATIONS

MW (Minimum Weight) 30 mg (3 e)

MSS (Minimum Sample Size) 10 pieces

Sample Size Selection 10, 30, 60